

Three weeks & counting: Top Tips for Transitioning to ICD-10

Fall 2015



HP – Fiscal Agent for the
Arkansas Division of Medical Services



Topics for Today

- Common problems/Solutions during ICD-10 testing
- Helpful information
- Questions

Common Problems/Solutions during ICD-10 Testing

Arkansas Medicaid's Fiscal Agent



Common Problems/Solutions during ICD-10 Testing

- **Test Submitter ID**

- Problem: Vendors/Providers submitted claims using MC0* Production Submitter ID
- Solution: Must obtain MC9* Test Submitter ID via EDI Help Desk

Submitting claims with the MC9* Test Submitter ID routes the claims to the test environment.

Upon identifying this issue, this information was posted on the AR ICD-10 website and also presented at the ICD-10 Town Hall meetings conducted in July/August.

Common Problems/Solutions during ICD-10 Testing

- **Testing Dates of Service**

- Problem: Vendors/Providers submitted claims using current dates of service instead of the testing dates of service
- Solution: Testing effective date for ICD-10 is 7/1/14 (submit ICD-9 before 7/1/14, submit ICD-10 on/after 7/1/14)

Common Problems/Solutions during ICD-10 Testing

- **Provider Electronic Solutions (PES)**

- Problem: Vendors/Providers received errors when using any PES version lower than 2.23
- Solution: Upgrade to PES Version 2.23

PES V2.23 allows alphanumeric characters for diagnosis codes (all claim types) and surgery procedure codes (inpatient claim type only).

Attendees of the ICD-10 Town Hall presentations were advised to ensure that they were running the updated PES Version 2.23 for ICD-10 testing.

Common Problems/Solutions during ICD-10 Testing

- **Responses**

- Problem: Vendors/Providers received delayed or no responses after submitting claims
- Solution: Test environment is different and, at times, slower than the production environment. In the event of slow or delayed responses, we asked Vendors/Providers to wait up to 12-24 hours and try again to pull back responses on test claims.

If assistance is still needed, please contact EDI Help Desk.

Helpful Information

Arkansas Medicaid's Fiscal Agent



Helpful Information

- PES Version 2.23 has been upgraded and published for ICD-10 compliance on 10/1/15.
- Verifying successful testing:
 - Providers should reach out to their vendor to determine if ICD-10 testing was successful for you.
 - Providers who performed their own ICD-10 testing, should verify responses from test claim submission.
 - REMINDER: ICD-10 Testing window was: 6/1/15 – 8/31/15

Providers may obtain and MC9* Test Submitter ID from HP EDI Help Desk and test at any time. However, the window for assistance with ICD-10 testing was 6/1/15 – 8/31/15.

Helpful Information

- A crosswalk from ICD-9 to ICD-10 will not be provided. Providers are advised to review the updated Provider Manuals, on the AR Medicaid website, which include the ICD-10 translations. Providers are also advised to purchase the ICD-10 book.
- 10/1/15 ICD-10 compliance tips:
 - ICD-9 and ICD-10 will not be allowed on the same claim.
 - On INPATIENT CLAIMS, if the dates of service span 10/1/15, the entire claim will require ICD-10 coding.
 - On MEDICAL CLAIMS, if a global OB procedure code is present AND the dates of service span 10/1/15, the entire claim will require ICD-10 coding.
 - For ALL OTHER CLAIMS, if the dates of service span 10/1/15, the provider will be required to split bill.

Helpful Information

- Contact the HP EDI Help Desk or your HP Provider Representative for questions.

Questions?

CP217: SUNSET REGULATORY