

# ICD-10 Provider Education

June 17, 2015

Cathy Munn, MPH RHIA CPHQ  
Principal



# Agenda

- Status of ICD-10 Transition
  - Industry Update
    - Congressional Hearing, SGR & HR 2126, HR 2247 & HR 2652
    - Industry Preparedness
    - National & State Preparedness
- Impact of the Change
  - Providers
  - Payers/Vendors
  - Translation Examples
    - ICD-10 vs. DSM-5
- Arkansas DMS Remediation Update
- Next Steps & Resources

# Congressional Hearing



- February 11, 2015 - US House of Representatives' Energy and Commerce Subcommittee on Health convened
  - Examining ICD-10 Implementation
    - 7 Key Industry Experts
      - 3 Physicians
      - 3M – Director of Public Policy
      - AHIP – EVP – Clinical Affairs & Strategic Planning
      - Athena Health – CFO
      - AHIMA – Sr. Director, Coding Policy & Compliance
  - Testimony
  - Q&A
  - Favorable Feedback

# SGR & HR 2126

- SGR
  - March 26, 2015 – House of Representatives
  - April 14, 2015 – Senate
  - April 16, 2015 – Signed by the President
- HR 2126 – Ted Poe, TX
- HR 2247 – Diane Black, TN
- HR 2652 – Gary Palmer, AL



# Industry Preparedness



- Coalition for ICD-10 – Supports ICD-10 adoption
- Promotes the critical importance of ICD-10
  - Improving quality measurement
  - Public health surveillance
  - Clinical research, and:
  - Healthcare payment through research, education, advocacy and mobilization
- 25 members including:
  - 3M
  - American Hospital Association
  - BCBS Association
  - Premier, Inc.

Coalition  
for ICD-10

# National Preparedness

- CMS End-to-End Testing Results
  - January 26 – February 3, 2015
    - 661 Participants submitted 15K Claims
  - April 22 – May 1, 2015
    - 875 Participants submitted 23K Claims
  - July 20 – 24, 2015 FINAL Testing Week
- Initial testing results indicated that:
  - CMS systems are ready to accept ICD-10 codes
  - Per Marilyn Tav *et al.*, the testing was “a success”




# Arkansas Preparedness



- AFMC Provider Survey Results
  - 571 Practices surveyed in 2014
  - 134 Respondents
    - 72% indicated that they have started remediation work
    - 42% indicated at least a 50% level of completion for ICD-10
    - 64% indicated that they have identified their top 25 diagnoses
    - 89% indicated that they have contacted their vendors regarding remediation & testing
    - 91% have identified those who will require training

# Arkansas Preparedness


At what stage is your practice in ICD-10 compliance readiness?



# Arkansas Preparedness

- Q1 2015 AFMC Provider Survey Data

ICD-10 Readiness



	YES	NO	Uncertain
■ Have you begun ICD-10 preparations	3	14	0
■ Do you anticipate ICD-10 readiness on 10/1/15?	8	7	2

# A Reminder...

- **Compliance Date is October 1, 2015**
- ICD-10: Developed by the World Health Organization
  - ICD-10-CM: International Classification of Diseases, 10<sup>th</sup> revision, Clinical Modification
  - ICD-10-PCS: International Classification of Diseases, 10<sup>th</sup> revision, Procedure Classification System
- Dates of service **before 10/1/2015** – ICD-9
- Dates of service **on/after 10/1/2015** – ICD-10
- Impacts every aspect of healthcare:
  - Provider
  - Payer/Vendor

# Industry Impacts

- Providers:
  - Need for more specific provider documentation
  - Need for more precise coding
- Payers/Vendors:
  - Need for system remediation
    - Ability to accept alphanumeric code
    - Ability to process ICD-10 codes for payment
    - Electronic Medical Records Updates
    - Practice Management Systems Updates
- Industry:
  - Need for data to support
    - New reimbursement models
    - New care delivery models

# ICD-10 Chapter Headings

Alpha Character	Narrative Description
A and B	Certain infectious and parasitic diseases
C00 to D48	Neoplasms
D50 to D89	Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
E	Endocrine, nutritional and metabolic diseases
<b>F</b>	<b>Mental and behavioral disorders</b>
<b>G</b>	<b>Diseases of the nervous system</b>
<b>Q</b>	<b>Congenital Malformations, Deformations and Chromosomal Abnormalities</b>
<b>R</b>	<b>Symptoms, Signs and Abnormal Clinical and Laboratory Findings, NEC</b>

# ICD-10 vs. DSM-5

## Alphabetical Listing of DSM-5 Diagnoses and Codes (ICD-9-CM and ICD-10-CM)

ICD-9-CM codes are to be used for coding purposes in the United States through September 30, 2014. ICD-10-CM codes are to be used starting October 1, 2014.

ICD-9-CM	ICD-10-CM	Disorder, condition, or problem
V62.3	Z55.9	Academic or educational problem
V62.4	Z60.3	Acculturation difficulty
308.3	F43.0	Acute stress disorder
		Adjustment disorders
309.24	F43.22	With anxiety
309.0	F43.21	With depressed mood
309.3	F43.24	With disturbance of conduct
309.28	F43.23	With mixed anxiety and depressed mood
309.4	F43.25	With mixed disturbance of emotions and conduct
309.9	F43.20	Unspecified
V71.01	Z72.811	Adult antisocial behavior
307.0	F98.5	Adult-onset fluency disorder
		Adult physical abuse by nonspouse or nonpartner, Confirmed
995.81	T74.11XA	Initial encounter
995.81	T74.11XD	Subsequent encounter
		Adult physical abuse by nonspouse or nonpartner, Suspected
995.81	T76.11XA	Initial encounter
995.81	T76.11XD	Subsequent encounter
		Adult psychological abuse by nonspouse or nonpartner, Confirmed
995.82	T74.31XA	Initial encounter
995.82	T74.31XD	Subsequent encounter
		Adult psychological abuse by nonspouse or nonpartner, Suspected
995.82	T76.31XA	Initial encounter
995.82	T76.31XD	Subsequent encounter
		Adult sexual abuse by nonspouse or nonpartner, Confirmed
995.83	T74.21XA	Initial encounter
995.83	T74.21XD	Subsequent encounter
		Adult sexual abuse by nonspouse or nonpartner, Suspected
995.83	T76.21XA	Initial encounter
995.83	T76.21XD	Subsequent encounter

# Code Translations

- Autism

ICD-9 Code	Description	ICD-10 Code	Description
299.00	Autistic disorder, current or active state	F84.0	Autistic disorder
299.01	Autistic disorder, residual state	F84.9	Pervasive developmental disorder, unspecified
299.90	Unspecified pervasive developmental disorder, current or active state	F84.9	Pervasive developmental disorder, unspecified

# ICD-10 vs. DSM-5

## Alphabetical Listing of DSM-5 Diagnoses and Codes (ICD-9-CM and ICD-10-CM)

ICD-9-CM codes are to be used for coding purposes in the United States through September 30, 2014. ICD-10-CM codes are to be used starting October 1, 2014.

ICD-9-CM	ICD-10-CM	Disorder, condition, or problem
V62.3	Z55.9	Academic or educational problem
V62.4	Z60.3	Acculturation difficulty
308.3	F43.0	Acute stress disorder
		Adjustment disorders
309.24	F43.22	With anxiety
309.0	F43.21	With depressed mood
309.3	F43.24	With disturbance of conduct
309.28	F43.23	With mixed anxiety and depressed mood
309.4	F43.25	With mixed disturbance of emotions and conduct
309.9	F43.20	Unspecified
V71.01	Z72.811	Adult antisocial behavior
307.0	F98.5	Adult-onset fluency disorder
		Adult physical abuse by nonspouse or nonpartner, Confirmed
995.81	T74.11XA	Initial encounter
995.81	T74.11XD	Subsequent encounter
		Adult physical abuse by nonspouse or nonpartner, Suspected
995.81	T76.11XA	Initial encounter
995.81	T76.11XD	Subsequent encounter
		Adult psychological abuse by nonspouse or nonpartner, Confirmed
995.82	T74.31XA	Initial encounter
995.82	T74.31XD	Subsequent encounter
		Adult psychological abuse by nonspouse or nonpartner, Suspected
995.82	T76.31XA	Initial encounter
995.82	T76.31XD	Subsequent encounter
		Adult sexual abuse by nonspouse or nonpartner, Confirmed
995.83	T74.21XA	Initial encounter
995.83	T74.21XD	Subsequent encounter
		Adult sexual abuse by nonspouse or nonpartner, Suspected
995.83	T76.21XA	Initial encounter
995.83	T76.21XD	Subsequent encounter

---

## Autism Spectrum Disorder

---

### Autism Spectrum Disorder

---

#### Diagnostic Criteria

299.00 (F84.0)

- A. Persistent deficits in social communication and social interaction across multiple contexts, as manifested by the following, currently or by history (examples are illustrative, not exhaustive; see text):
1. Deficits in social-emotional reciprocity, ranging, for example, from abnormal social approach and failure of normal back-and-forth conversation; to reduced sharing of interests, emotions, or affect; to failure to initiate or respond to social interactions.
  2. Deficits in nonverbal communicative behaviors used for social interaction, ranging, for example, from poorly integrated verbal and nonverbal communication; to abnormalities in eye contact and body language or deficits in understanding and use of gestures; to a total lack of facial expressions and nonverbal communication.
  3. Deficits in developing, maintaining, and understanding relationships, ranging, for example, from difficulties adjusting behavior to suit various social contexts; to difficulties in sharing imaginative play or in making friends; to absence of interest in peers.
- Specify current severity:*  
**Severity is based on social communication impairments and restricted, repetitive patterns of behavior** (see Table 2).
- B. Restricted, repetitive patterns of behavior, interests, or activities, as manifested by at least two of the following, currently or by history (examples are illustrative, not exhaustive; see text):
1. Stereotyped or repetitive motor movements, use of objects, or speech (e.g., simple motor stereotypies, lining up toys or flipping objects, echolalia, idiosyncratic phrases).
  2. Insistence on sameness, inflexible adherence to routines, or ritualized patterns of verbal or nonverbal behavior (e.g., extreme distress at small changes, difficulties with transitions, rigid thinking patterns, greeting rituals, need to take same route or eat same food every day).
  3. Highly restricted, fixated interests that are abnormal in intensity or focus (e.g., strong attachment to or preoccupation with unusual objects, excessively circumscribed or perseverative interests).
  4. Hyper- or hyporeactivity to sensory input or unusual interest in sensory aspects of the environment (e.g., apparent indifference to pain/temperature, adverse response to specific sounds or textures, excessive smelling or touching of objects, visual fascination with lights or movement).

---

## Autism Spectrum Disorder

---

### Autism Spectrum Disorder

---

#### Diagnostic Criteria

299.00 (F84.0)

- A. Persistent deficits in social communication and social interaction across multiple contexts, as manifested by the following, currently or by history (examples are illustrative, not exhaustive; see text):
1. Deficits in social-emotional reciprocity, ranging, for example, from abnormal social approach and failure of normal back-and-forth conversation; to reduced sharing of interests, emotions, or affect; to failure to initiate or respond to social interactions.
  2. Deficits in nonverbal communicative behaviors used for social interaction, ranging, for example, from poorly integrated verbal and nonverbal communication; to abnormalities in eye contact and body language or deficits in understanding and use of gestures; to a total lack of facial expressions and nonverbal communication.
  3. Deficits in developing, maintaining, and understanding relationships, ranging, for example, from difficulties adjusting behavior to suit various social contexts; to difficulties in sharing imaginative play or in making friends; to absence of interest in peers.
- Specify current severity:*  
**Severity is based on social communication impairments and restricted, repetitive patterns of behavior** (see Table 2).
- B. Restricted, repetitive patterns of behavior, interests, or activities, as manifested by at least two of the following, currently or by history (examples are illustrative, not exhaustive; see text):
1. Stereotyped or repetitive motor movements, use of objects, or speech (e.g., simple motor stereotypies, lining up toys or flipping objects, echolalia, idiosyncratic phrases).
  2. Insistence on sameness, inflexible adherence to routines, or ritualized patterns of verbal or nonverbal behavior (e.g., extreme distress at small changes, difficulties with transitions, rigid thinking patterns, greeting rituals, need to take same route or eat same food every day).
  3. Highly restricted, fixated interests that are abnormal in intensity or focus (e.g., strong attachment to or preoccupation with unusual objects, excessively circumscribed or perseverative interests).
  4. Hyper- or hyporeactivity to sensory input or unusual interest in sensory aspects of the environment (e.g., apparent indifference to pain/temperature, adverse response to specific sounds or textures, excessive smelling or touching of objects, visual fascination with lights or movement).

## Autism Spectrum Disorder

### Autism Spectrum Disorder

#### Diagnostic Criteria

299.00 (F84.0)

- A. Persistent deficits in social communication and social interaction across multiple contexts, as manifested by the following, currently or by history (examples are illustrative, not exhaustive; see text):
1. Deficits in social-emotional reciprocity, ranging, for example, from abnormal social approach and failure of normal back-and-forth conversation; to reduced sharing of interests, emotions, or affect; to failure to initiate or respond to social interactions.
  2. Deficits in nonverbal communicative behaviors used for social interaction, ranging, for example, from poorly integrated verbal and nonverbal communication; to abnormalities in eye contact and body language or deficits in understanding and use of gestures; to a total lack of facial expressions and nonverbal communication.
  3. Deficits in developing, maintaining, and understanding relationships, ranging, for example, from difficulties adjusting behavior to suit various social contexts; to difficulties in sharing imaginative play or in making friends; to absence of interest in peers.
- Specify current severity:*  
**Severity is based on social communication impairments and restricted, repetitive patterns of behavior** (see Table 2).
- B. Restricted, repetitive patterns of behavior, interests, or activities, as manifested by at least two of the following, currently or by history (examples are illustrative, not exhaustive; see text):
1. Stereotyped or repetitive motor movements, use of objects, or speech (e.g., simple motor stereotypies, lining up toys or flipping objects, echolalia, idiosyncratic phrases).
  2. Insistence on sameness, inflexible adherence to routines, or ritualized patterns of verbal or nonverbal behavior (e.g., extreme distress at small changes, difficulties with transitions, rigid thinking patterns, greeting rituals, need to take same route or eat same food every day).
  3. Highly restricted, fixated interests that are abnormal in intensity or focus (e.g., strong attachment to or preoccupation with unusual objects, excessively circumscribed or perseverative interests).
  4. Hyper- or hyporeactivity to sensory input or unusual interest in sensory aspects of the environment (e.g., apparent indifference to pain/temperature, adverse response to specific sounds or textures, excessive smelling or touching of objects, visual fascination with lights or movement).

# Code Translations

- ADHD

ICD-9 Code	Description	ICD-10 Code	Description
314.01	Attention deficit disorder with hyperactivity	F90.1	Attention deficit hyperactivity disorder – predominately hyperactive type
314.01	Attention deficit disorder with hyperactivity	F90.2	Attention deficit hyperactivity disorder – combined type
314.01	Attention deficit disorder with hyperactivity	F90.8	Attention deficit hyperactivity disorder – other type
314.01	Attention deficit disorder with hyperactivity	F90.9	Attention deficit hyperactivity disorder – unspecified type

# Code Translations

## Other Specified Attention-Deficit/ Hyperactivity Disorder

---

314.01 (F90.8)

---

This category applies to presentations in which symptoms characteristic of attention-deficit/hyperactivity disorder that cause clinically significant distress or impairment in social, occupational or other important areas of functioning predominate but do not meet the full criteria for attention-deficit/hyperactivity disorder or any of the disorders in the neurodevelopmental disorders diagnostic class. The other specified attention-deficit/hyperactivity disorder category is used in situations in which the clinician chooses to communicate

# Is your Practice Ready for ICD-10?



- You may be ready for ICD-10....**IF:**
  - You have contacted your software vendors and your upgrades are completed
  - You have identified, remediated & tested **all** of your IT systems including EMR, Practice Management & Reporting
  - You have conducted testing with your large-volume payers; **including** AR Medicaid & HP
  - You understand where ICD-9 codes may be embedded in your operational processes & all areas have been remediated
    - including the reports you may generate or use regularly
  - You have identified your top 25 diagnoses
  - You have translated those diagnoses & understand the need for additional documentation to support the diagnoses

# Arkansas DHS Current State



- Arkansas Medicaid has been working on ICD-10 for over three years
- ICD-10 Resources are posted at: [www.humanservices.Arkansas.gov/ICD10](http://www.humanservices.Arkansas.gov/ICD10)
- Additional on-going educational resource include:
  - On-site Educational Meetings
  - Quarterly HP Provider Wire Articles
  - Twitter Messaging
  - RA & On-Hold Messaging



- Internal & external provider testing – 6/1/2015 – 7/31/2015

# Arkansas DHS Current State

- Upcoming Provider Town Hall meetings
  - July 7, 2015 – August 6, 2015
  - 16 different locations across the state
  - 2 different times – Noon & 6:00 PM
  - Representatives from Arkansas Medicaid
  - Representatives from AFMC
- Print media updates on ICD-10 in Arkansas



# ICD-10 Resources



*For the latest*

**ICD-10**

*Updates,  
Click here*

# Arkansas Resources



ARKANSAS  
DEPARTMENT OF  
**HUMAN  
SERVICES**



A-Z Index A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

## Division of Medical Services

- [DMS Home](#)
- [DMS Services](#)
- [ICD-10](#)
- [DMS Reports](#)

## Office of Long Term Care

- [OLTC Home](#)
- [Consumer Long Term Care Information](#)
- [Provider Long Term Care Information](#)
- [Helpful Websites](#)
- [OLTC Contacts](#)

COUNTDOWN  
TO ICD-10

DAYS	201
HOURS	12
MINS	37
SEC	27

[Home](#) > [Division of Medical Services](#)

## Moving to ICD-10 Codes in the Arkansas Health Care System

As of Oct. 1, 2015, all providers billing Arkansas Medicaid will be required by the United States Department of Health and Human Services (HHS) to use billing codes outlined in the International Classification of Diseases, 10th Edition (known as ICD-10). The federal mandate requires all health plans, clearinghouses and healthcare providers to use ICD-10 diagnosis and procedure codes. Arkansas Medicaid already has begun preparing for the shift to ICD-10.

The International Classification of Diseases, 10th Edition (ICD-10) consists of two parts:

1. ICD-10-CM (Clinical Modification) for diagnosis coding
2. ICD-10-PCS (Procedure Coding System) for inpatient procedure coding.

ICD-10-CM is used in all U.S. health care settings and uses 3 to 7 alphanumeric characters instead of the current 3 to 5 digit codes (numeric, with the exception of E and V codes) used by ICD-9-CM, Volume 1 & 2 diagnosis codes. ICD-10-PCS is used for inpatient procedures and uses 7 alphanumeric characters instead of the 3 to 4 numeric digits of ICD-9-CM, Volume 3.

The Arkansas Medicaid ([www.medicaid.state.ar.us](http://www.medicaid.state.ar.us)) and this website will be updated throughout the ICD-10 implementation process, including with information about opportunities for trainings. Please check back frequently for important updates.

**News for 2015**

# Industry Website Resources



- [www.CMS.gov/ICD10](http://www.CMS.gov/ICD10)
- [www.CMS.gov/NPC](http://www.CMS.gov/NPC)
- <http://www.roadto10.org/>
- [www.AHIMA.org](http://www.AHIMA.org)
- [www.AAPC.com](http://www.AAPC.com)
- <http://www.cms.gov/Medicare/Coding/ICD-10/Downloads/ICD10SmallandMediumPractices508.pdf>
- [http://www.himss.org/ASP/topics\\_icd10playbook.asp](http://www.himss.org/ASP/topics_icd10playbook.asp)
- [www.WEDI.org](http://www.WEDI.org)
- [www.humanservices.Arkansas.gov/ICD10](http://www.humanservices.Arkansas.gov/ICD10)

# Training Resources

- There are a wide variety of training opportunities and materials available through a variety of resources:
  - **Professional Coding Associations** – AAPC, AHIMA
  - **Online Courses** – ICD10 Monitor, Contexo University, Precyse, Nuance
  - **Webinars** – ICD10 Monitor, HCPro, Talk Ten Tuesday
  - **Onsite Training** – Train-the-Trainer approach, Coding Boot Camp



ICD-10 TRAINING THAT'S RIGHT FOR YOU

# CMS Resources

[www.cms.gov/icd10](http://www.cms.gov/icd10)

**CMS.gov**  
Centers for Medicare & Medicaid Services

Home | About CMS | Newsroom Center | FAQs | Archive | Share Help Email Print

Learn about [your healthcare options](#)

Search

Medicare | Medicaid/CHIP | Medicare-Medicaid Coordination | Insurance Oversight | Innovation Center | Regulations and Guidance | Research, Statistics, Data and Systems | Outreach and Education

Home > Medicare > ICD-10 > ICD-10

## ICD-10

- [Latest News](#)
- [CMS ICD-10 Industry Email Updates](#)
- [ICD-10 Implementation Timelines](#)
- [CMS Implementation Planning](#)
- [Provider Resources](#)
- [Medicare Fee-for-Service Provider Resources](#)
- [Medicaid Resources](#)
- [Payer Resources](#)
- [Vendor Resources](#)
- [Statute and Regulations](#)
- [2013 ICD-10-CM and GEMs](#)
- [2013 ICD-10 PCS and GEMs](#)
- [2012 ICD-10-CM and GEMs](#)
- [2012 ICD-10-PCS and GEMs](#)
- [ICD-9-CM Coordination and Maintenance Committee Meetings](#)
- [ICD-10 MS-DRG Conversion Project](#)

Latest News

Email Updates

Provider Resources

Payer Resources

Vendor Resources

GEMS

ICD-9 Coordination and Maintenance Committee

## ICD-10



Welcome to the Centers for Medicare & Medicaid Services (CMS) ICD-10 Website.

Here you will find resources to help, [Providers](#), [Payers](#), and [Vendors](#) with the U.S. health care industry's transition to ICD-10 on October 1, 2014.

As of January 1, 2012, all electronic transactions must use [Version 5010](#) standards, which accommodate ICD-10 codes.

### New ICD-10 Deadline– October 1, 2014

HHS has [announced](#) the [final rule](#) that delays the ICD-10 compliance date from October 1, 2013 to October 1, 2014.

### Keep Up to Date

- Sign up for [CMS ICD-10 Industry Email Updates](#)
- Follow @CMSGov on [Twitter](#)
- Subscribe to [Latest News Page Watch](#)

# CMS Road to I-10



*CMS has created “Road to 10” to help you jump start the transition to ICD-10.*

Built with the help of small practice physicians, “Road to 10” is a no-cost tool that will help you:

- Get an overview of ICD-10 by accessing the links on the left
- Explore Specialty References by selecting a specialty below
- Click the BUILD YOUR ACTION PLAN box to create your personal action plan

To get started and learn more about ICD-10, navigate through the links on the left side of the page. If you’re ready to start building an action plan, select the BUILD YOUR ACTION PLAN box.

# Questions

